

## LISTA DE LUCRĂRI

### Articole publicate în Reviste ISI Web of Science

---

1. CIUBOTARU A., CÂMPU V.R., 2018. *Delimbing and cross-cutting of coniferous trees – time consumption, work productivity and performance*. Forest 9(4), 206. DOI:10.3390/f9040206  
<http://www.mdpi.com/1999-4907/9/4/206>
2. CÂMPU, V. R., CIUBOTARU A., 2017. *Time consumption and productivity in manual tree felling with a chainsaw – a case study of resinous stands from mountainous areas*. Silva Fennica 51(2):1-19. DOI:10.14214/sf.1657  
[http://apps.webofknowledge.com/full\\_record.do?product=WOS&search\\_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=2](http://apps.webofknowledge.com/full_record.do?product=WOS&search_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=2)
3. CÂMPU, V. R., BORZ, S. A., 2017. *Amount and structure of tree damage when using cut-to-length system*. Environmental Engineering and Management Journal 16(9):2053-2061.  
[http://apps.webofknowledge.com/full\\_record.do?product=WOS&search\\_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=1](http://apps.webofknowledge.com/full_record.do?product=WOS&search_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=1)
4. CÂMPU, V. R., DUMITRACHE, R., BORZ, S.A., TIMOFTE, I. A., 2015. *The impact of log length on the conversion factor of stacked wood to solid content*. Wood Research 60(3):503-518.  
[http://apps.webofknowledge.com/full\\_record.do?product=WOS&search\\_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=4](http://apps.webofknowledge.com/full_record.do?product=WOS&search_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=4)
5. CÂMPU, V. R., DUMITRACHE, R., 2015. *Frost Crack Impact on European Beech (Fagus sylvatica L.) Wood Quality*. Not Bot Horti Agrobi 43(1), DOI:10.15835/nbha4319655.  
[http://apps.webofknowledge.com/full\\_record.do?product=WOS&search\\_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=5](http://apps.webofknowledge.com/full_record.do?product=WOS&search_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=5)
6. BORZ, S.A., BÎRDA, M., IGNEA, G., POPA, B., CÂMPU, V.R., IORDACHE, E., DERCZENI, R., 2014. *Efficiency of a Woody 60 processor attached to a Mounty 4100 tower yarder when processing coniferous timber from thinning operations*. Annals of Forest Research 57(2):333-345, DOI: 10.15287/afr.2014.258.  
[http://apps.webofknowledge.com/full\\_record.do?product=UA&search\\_mode=GeneralSearch&qid=2&SID=P2rGSdgBcdU8H88N4i2&page=1&doc=1](http://apps.webofknowledge.com/full_record.do?product=UA&search_mode=GeneralSearch&qid=2&SID=P2rGSdgBcdU8H88N4i2&page=1&doc=1)

### Articole publicate în Proceedings indexat ISI Web of Science

---

7. CÂMPU, V.R., CIUBOTARU, A., 2013: *Apparent volumic mass models for pulpwood Norway spruce logs*. In Proceedings of Rural Development 2013 Aleksandras Stulginskis University, Lithuania, Vol. 6, p. 215 – 220.  
[http://apps.webofknowledge.com/full\\_record.do?product=WOS&search\\_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=9](http://apps.webofknowledge.com/full_record.do?product=WOS&search_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=9)



8. **CÂMPU, V.R.**, 2014: *Mass loss and the measurement of beech and oak pulpwood moisture content*. In Proceedings of 14th GeoConference on Water Resources. Forest, Marine and Ocean Ecosystems, Vol. II, p. 399 – 406. DOI: 10.5593/SGEM2014/B32/S14.054  
[http://apps.webofknowledge.com/full\\_record.do?product=WOS&search\\_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=8](http://apps.webofknowledge.com/full_record.do?product=WOS&search_mode=GeneralSearch&qid=4&SID=C6dnDBpGDbjyKoqAkC1&page=1&doc=8)

#### Articole indexate BDI

---

9. **CÂMPU, V.R.**, 2015: *Factori de cubaj pentru lemnul de foc pachetizat cu lungimi mai mici de 1m*. Revista de Silvicultură și Cinegetică 35:133-137.  
<https://www.cabi.org/forestsscience/abstract/20163044476>
10. **CÂMPU, V.R.**, DUMITRACHE, R., 2013: *Frost-crack frequency in beech stands*, In Bulletin of the Transilvania University of Braşov, Vol. 6 (55) No.2, Series II: Forestry, Wood Industry, Agricultural Food Engineering p. 9 – 14.  
<http://www.cabi.org/forestsscience/abstract/20143017069>
11. **CÂMPU, V.R.**, 2013: *Research Concerning Norway Spruce Wood Apparent Volumic Mass and Weight Decrease During the Storage Period*, In Proceedings of Biennial International Symposium Forest and Sustainable Development, Transilvania University Press, p. 109-113. <http://www.cabi.org/forestsscience/abstract/20133203657>
12. **CÂMPU, V.R.**, 2012: *Determination of the Conversion Factor of Stacked Wood in Solid Content at Spruce Pulpwood and Firewood with the Length of Two and Three Meters*, In Bulletin of the Transilvania University of Brasov, Vol. 5 (54), no. 1, Series II: Forestry, Wood Industry, Agricultural Food Engineering, p.31 – 36.  
<http://www.cabi.org/forestsscience/abstract/20123387830>
13. **CÂMPU, V.R.**, 2012: *Moisture Content Determination at Freshly Felled Common Hornbeam Wood* In Journal of EcoAgriTourism, Vol.8, nr.1(24), p. 20-23.  
<http://www.cabi.org/forestsscience/abstract/20143263786>
14. **CÂMPU, V.R.**, 2012: *Research Concerning Hornbeam Wood Apparent Volumic Mass and Weight Decrease*, In Journal of EcoAgriTourism, Vol.8, nr.1(24), p. 24-26.  
<http://www.cabi.org/forestsscience/abstract/20143263794>
15. ENACHE, L. N., CIUBOTARU, A., **CÂMPU, V. R.**, DAVID, E. C., DUMITRAŞCU, R., 2011: *Research on the Distribution of Tree Damage in Mountain Cutting Areas*, In Proceedings of Biennial International Symposium Forest and Sustainable Development, Transilvania University Press, p. 627-632. <http://www.cabi.org/forestsscience/abstract/20123105559>
16. **CÂMPU, R.**, 2011: *Research Concerning the Determination of the Volume of Round Wood Affected by Forking and Knots at Beech Trees*, In Proceedings of Biennial International Symposium Forest and Sustainable Development, Transilvania University Press, p. 587 – 592. <http://www.cabi.org/forestsscience/abstract/20123105468>

17. **CÂMPU, V., R.**, 2010: *Research Concerning the Development of Red Heartwood and its Influence on Beech Wood Sorting*, In Bulletin of the Transilvania University of Braşov ,Vol. 3 (52) – 2010, Series II: Forestry, Wood Industry, Agricultural Food Engineering, p.11 – 16.  
<http://www.cabi.org/forestsscience/abstract/20123387783>
18. **CÂMPU, R.**, 2009: *Research concerning the setting and development of rot within wounds at beech trees*, In Bulletin of the Transilvania University of Braşov, Vol. 2 (51), Seria II, p. 7 – 12. <http://www.cabi.org/forestsscience/abstract/20123222203>
19. **CÂMPU, R., CIUBOTARU, A.**, 2009: *Metodă pentru măsurarea caracteristicilor exterioare ale arborilor pe fotografii de înaltă rezoluție*. Lucrările Sesiunii Ştiinţifice Bienale „Pădurea şi dezvoltarea durabilă”, Editura Universităţii Transilvania, Braşov, p. 621 – 626.  
<http://www.cabi.org/forestsscience/abstract/20093229956>
20. **CÂMPU, R., CIUBOTARU, A.**, 2008: *Cercetări privind determinarea frecvenţei înfurcării la arborii de fag pe picior*, Revista Pădurilor, nr. 6, p. 21 – 26.  
<http://www.cabi.org/forestsscience/abstract/20103231927>
21. **CÂMPU, R., CIUBOTARU, A., DIMA, P.**, 2008: *Beech quality and the share of participation of visible defects in the classification according to quality classes of standing beech trees*, In Bulletin of the Transilvania University of Braşov, Vol. 15 (50), Seria A, p. 5 – 8.  
<http://www.cabi.org/forestsscience/abstract/20093118679>
22. **CÂMPU, R., CIUBOTARU, A.**, 2007: *Research concerning the frequency of stem root-swelling at beech trees*, In Bulletin of the Transilvania University of Braşov, Vol. 14 (49), Seria A, p. 285 – 290. <http://www.cabi.org/forestsscience/abstract/20093007515>
23. **CIUBOTARU, A., STROESCU, M., CÂMPU, R.**, 2007: *Cercetări privind corelaţia dintre tehnologiile de exploatare şi nivelul prejudiciilor produse arborilor pe picior*, Lucrările Sesiunii Ştiinţifice Bienale „Pădurea şi dezvoltarea durabilă”, Editura Universităţii Transilvania, Braşov, p.421 – 426. <http://www.cabi.org/forestsscience/abstract/20093290623>

---

#### Articole publicate în volume ale conferinţelor naţionale neindexate BDI

---

24. **CÂMPU R.**, (2008). The knots and wood quality at european beech standing trees. Proceeding of Bioatlas Conference, Vol. 1, Braşov, p.50 – 55.
25. **CÂMPU R.**, (2008). The form and the frequency of knots at european beech standing trees. Proceeding of Bioatlas Conference, Vol. 1, Braşov, p.56 – 61.
26. **CIUBOTARU A., PĂUN M., CERNEŞTEAN R., CÂMPU R.**, (2008). Marking criteria in even – aged beech stands. Proceeding of Bioatlas Conference, Vol. 1, Braşov, p.62 – 66.
27. **CÂMPU, R.**, (2007). *Cercetări privind frecvenţa defectelor vizibile în arborete pure de fag din bazinul Tărlungul Superior*. Lucrările Celei De A 8-A Conferinţă Naţională Pentru Protecţia Mediului Prin Biotehnologii Şi A 5-A Conferinţă Naţională de Ecosanogeneză, Braşov, p.273 – 279.



**CÂMPU V.R.**, (2008). *Cercetări privind posibilitățile de evaluare a calității lemnului pe picior, în arborete pure de fag (Fagus sylvatica L.) din bazinul Tărlungului*. Universitatea Transilvania din Brașov, coordonator prof.dr.ing. Arcadie Ciubotaru

## Cărți

---

1. **CÂMPU V. R.**, (2018). *Ghidul utilizatorilor de ferăstraie mecanice*. Editura Universității Transilvania din Brașov, Brașov 145 p. ISBN 9786061909889
2. **CÂMPU V. R.**, (2014). *Măsurarea lemnului stivuit*. Editura Universității Transilvania din Brașov, 224 p. ISBN 9786061905027
3. **CIUBOTARU A., CÂMPU V.R., DAVID E.C.**, (2012). *Exploatarea și prelucrarea lemnului*. Editura Universității Transilvania din Brașov, p. 119. ISBN 9786061901371
4. **CÂMPU V.R.**, (2009). *Defectele vizibile și calitatea arborilor în făgete*. Editura Universității „Transilvania” din Brașov, p. 115. ISBN 9789735985264

Data  
04.07.2019

Conf.dr.ing. Câmpu Vasile Răzvan

